Neuroscience Letters, 100 (1989) 353–357
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abbott, L., see Kalivas, P.W., 215
Abhold, R., see Kalivas, P.W., 215
Aitken, P.G., see Brai, S., 313
Allen, A.E., see Lee, P.P.N., 130
Alones, V., see Swenson, R.S., 35
Aoki, F., see Nakamura, S., 147
Arancibia, S., Tapia-Arancibia, L., Astier, H. and Assenmacher, I., Physiological evidence for α_1-adrenergic facilitatory control of the cold-induced TRH release in the rat, obtained by push–pull cannulation of the median eminence, 169
Assenmacher, I., see Arancibia, S., 169
Astier, H., see Arancibia, S., 169

Baker, G.B. and Reynolds, G.P., Biogenic amines and their metabolites in Alzheimer's disease: noradrenaline, 5-hydroxytryptamine and 5-hydroxyindole-3-acetic acid depleted in hippocampus but not in substantia innominata, 335
Baldwin, B.A., see Kendrick, K.M., 193
Batten, T.F.C., see Moons, L., 11
Beattie, D.T., Curtis, D.R., Debaert, M., Vaccher, C. and Berthelot, P., Baclofen antagonism by 4-amino-3-(5-methoxybenzo[b]furan-2-yl) butanoic acid in the cat spinal cord, 292
Berger, M.L., see Vass, K., 259
Bergeron, C., see Galloway, P.G., 6
Bernard, J.F., Peschanski, M. and Besson, J.M., A possible spino (trigemino)-ponto-amygdaloid pathway for pain, 83
Berthelot, P., see Beattie, D.T., 292
Besson, J.M., see Bernard, J.F., 83
Bianchini, D., see De Martini, I., 331
Booth, R.G., Castagnoli Jr., N. and Rollema, H., Intracerebral microdialysis neurotoxicity studies of quinoline and isoquinoline derivatives related to MPTP/MPP^+, 306
Bosler, O., see Kachidian, P., 65
Bosler, O., see Vuillet, J., 99
Bourdelais, A., see Kalivas, P.W., 215
Brai, S., Bustos, G.A., Lee, P.H.K., Hong, J.S., Aitken, P.G. and Nadler, J.V., Kainic acid inhibits cholecystokinin release from rat hippocampal slices, 313
Breese, G.R., see Duncan, G.E., 111
Brunner, H., see Müller, W., 135
Bugnon, C., see Risold, P.Y., 23
Buijs, R.M., see De Jong, B.M., 1
Bustos, G.A., see Brai, S., 313

Cadoni, A., see De Martini, I., 331
Cambré, M., see Moons, L., 11
Castagnoli Jr., N., see Booth, R.G., 306
Castro, A.J., see Swenson, R.S., 35
Christenson, J., Franck, J. and Grillner, S., Increase in endogenous 5-hydroxytryptamine levels modulates the central network underlying locomotion in the lamprey spinal cord, 188
Cole, G., Masliah, E., Huynh, T.V., DeTeresa, R., Terry, R.D., Okuda, C. and Saitoh, T., An antiserum against amyloid β-protein precursor detects a unique peptide in Alzheimer brain, 340
Coyle, J.T., see Stauch, B.L., 295
Curtis, D.R., see Beattie, D.T., 292
Curzon, G., see Hutson, P.H., 276

Dawson, R.M., Tacrine slows the rate of ageing of sarin-inhibited acetylcholinesterase, 227
De Jong, B.M., Ruijter, J.M. and Buijs, R.M., Immunocytochemical indications for neuronal co-localization of GABA and aspartate in cultured neocortex explants, 1
De Martini, I., Bianchini, D., Shenone, A., Cadoni, A., Zicca, A., Zaccheo, D. and Mancardi, G.L., Class II antigen expression on human cultured Schwann cells from patients with Charcot-Marie-Tooth disease, 331
De Reviers, M.-M., Ravault, J.-P., Tillet, Y. and Pelletier, J., Melatonin binding sites in the sheep pars tuberalis, 89
De'Sperati, C., Lopiano, L. and Montarolo, P.G., Lesions of the inferior olive do not affect long- or short-term habituation of the acoustic startle response in rats, 164
DeTeresa, R., see Cole, G., 340
Debaert, M., see Beattie, D.T., 292
Denoroy, L., see Kachidian, P., 65
Dildy, J.E., see Farrar, R.P., 319
Dun, N.J., see Minota, S., 237
Duncan, G.E., Stumpf, W.E., Breese, G.R. and Mitra, K.E., Functional activity patterns in the

forebrain of swimming rats: a 5 min 2-deoxyglucose study, 111

Edvinsson, L., see Fallgren, B., 71
Ekblad, E., see Fallgren, B., 71
Ekblom, A., see Larsson, J., 326
Evans, R.H. and Long, S.K., Primary afferent depolarization in the rat spinal cord is mediated by pathways utilising NMDA and non-NMDA receptors, 231

Fallgren, B., Ekblad, E. and Edvinsson, L., Coexistence of neuropeptides and differential inhibition of vasodilator responses by neuropeptide Y in guinea pig uterine arteries, 71
Farrar, R.P., Rezazadeh, S.M., Morris, J.L., Dildy, J.E., Gnau, K. and Leslie, S.W., Aging does not alter cytosolic calcium levels of cortical synaptosomes in Fischer 344 rats, 319
Fellmann, D., see Risold, P.Y., 23
Field, J.J. and Newberry, N.R., Methoctramine and hexahydrodifenidol antagonise two muscarinic responses on the rat superior cervical ganglion with opposite selectivity, 254
Filloux, F., Hunt, M.A. and Wamsley, J.K., Localization of the dopamine uptake complex using [^{3}H]*N*-[1-(2-benzo(b)thiophenyl)cyclohexyl]piperidine([^{3}H]BTCP) in rat brain, 105
Fink, T., see Weihe, E., 77
Finsen, B.R., see Jensen, S., 17
Forloni, G., see Stauch, B.L., 295
Franck, J., see Christenson, J., 188
Friesen, H.G., see Vrontakis, M.E., 59

Galloway, P.G., Bergeron, C. and Perry, G., The presence of tau distinguishes Lewy bodies of diffuse Lewy body disease from those of idiopathic Parkinson disease, 6
Gnau, K., see Farrar, R.P., 319
Gonzalez, M.F., see Sharp, F.R., 117
Gribnau, A.A.M., see Joosten, E.A.J., 94
Grillner, S., see Christenson, J., 188
Grossman, Y., see Tarasiuk, A., 175
Guiseppe, A., see Pievincenzo, P., 265

Harada, H., Ueda, H., Wada, Y., Katada, T., Ui, M. and Satoh, M., Phosphorylation of μ-opioid receptors – a putative mechanism of selective uncoupling of receptor – Gi interaction, measured with low-K_m GTPase and nucleotide-sensitive agonist binding, 221
Hardebo, J.E., see Suzuki, N., 123
Heavens, R.P., see Sirinathsinghji, D.J.S., 203
Heckmann, R., see Rösler, K.M., 347
Henriksson, K., see Larsson, J., 326
Henry, S. and Tappaz, M., Comparison through immunoblotting of glutamic acid decarboxylase (GAD) from newborn and adult rat brain, 301
Hess, C.W., see Rösler, K.M., 347
Hisanaga, K., see Sharp, F.R., 117
Hong, J.S., see Brai, S., 313
Hunt, M.A., see Filloux, F., 105
Hutson, P.H., Sarna, G.S., O'Connell, M.T. and Curzon, G., Hippocampal 5-HT synthesis and release in vivo is decreased by infusion of 8-OHDPAT into the nucleus raphe dorsalis, 276
Huynh, T.V., see Cole, G., 340

Jensen, S., Sørensen, T., Finsen, B.R. and Zimmer, J., Transplantation of immature murine brain tissue into the anterior eye-chamber of adult rats, 17
Joosten, E.A.J. and Gribnau, A.A.M., Immunocytochemical localization of cell adhesion molecule L1 in developing rat pyramidal tract, 94
Jope, R.S., see Ormandy, G.C., 287

Kachidian, P., Denoroy, L. and Bosler, O., Adrenergic neurons in the nucleus tractus solitarius receive GABAergic synapses. Demonstration by dual immunocytochemistry in the rat, 65
Kachidian, P., see Vuillet, J., 99
Kåhrström, J., see Suzuki, N., 123
Kalivas, P.W., Bourdelais, A., Abhold, R. and Abbott, L., Somatodendritic release of endogenous dopamine: in vivo dialysis in the A10 dopamine region, 215
Kaneko, T., see Tashiro, Y., 29
Katada, T., see Harada, H., 221
Kato, T., see Takita, M., 249
Kendrick, K.M. and Baldwin, B.A., Visual responses of sheep temporal cortex cells to moving and stationary human images, 193
Kerkerian, L., see Vuillet, J., 99
Kikuchi, H., see Tashiro, Y., 29
Kozlowski, G., see Swenson, R.S., 35
Kurosawa, M., Sato, A. and Sato, Y., Well-maintained responses of acetylcholine release and blood flow in the cerebral cortex to focal electrical stimulation of the nucleus basalis of Meynert in aged rats, 198

Larsson, J., Ekblom, A., Henriksson, K., Lundeberg, T. and Theodorsson, E., Immunoreactive

tachykinins, calcitonin gene-related peptide and neuropeptide Y in human synovial fluid from inflamed knee joints, 326
Lassmann, H., see Vass, K., 259
Laura, C., see Pievincenzo, P., 265
Lee, C.-M. and Wong, C.-C., Effects of neonatal capsaicin treatment and streptozotocin-induced diabetes on urinary bladder function in rats, 281
Lee, P.H.K., see Brai, S., 313
Lee, P.P.N., Shiu, S.Y.W., Allen, A.E. and Pang, S.F., Cold exposure or norepinephrine injections altered melatonin levels in the quail retina, 130
Lenys, D., see Risold, P.Y., 23
Leslie, S.W., see Farrar, R.P., 319
Long, S.K., see Evans, R.H., 231
Lopiano, L., see De'Sperati, C., 164
Luciana, G., see Pievincenzo, P., 265
Ludin, H.P., see Rösler, K.M., 347
Lundeberg, T., see Larsson, J., 326

Mancardi, G.L., see De Martini, I., 331
Masliah, E., see Cole, G., 340
Maslim, J. and Stone, J., Extracellular space in the developing retina assessed by electron microscopy: laminar and topographic distribution, 40
McDonald, A.J. and Pearson, J.C., Coexistence of GABA and peptide immunoreactivity in non-pyramidal neurons of the basolateral amygdala, 53
Miles, T.S., see Türker, K.S., 157
Miller, I.J. and Whitney, G., Sucrose octaacetate-taster mice have more vallate taste buds than non-tasters, 271
Minota, S., Miyazaki, T., Wang, M.Y., Read, H.L. and Dun, N.J., Glycine potentiates NMDA responses in rat hippocampal CA1 neurons, 237
Misgeld, U., see Müller, W., 135
Mitra, K.E., see Duncan, G.E., 111
Mitsuma, T., see Yasuda, T., 47
Miyazaki, T., see Minota, S., 237
Mizuno, N., see Tashiro, Y., 29
Mobley, W.C., see Sharp, F.R., 117
Montarolo, P.G., see De'Sperati, C., 164
Moons, L., Cambré, M., Batten, T.F.C. and Vandesande, F., Autoradiographic localization of binding sites for vasotocin in the brain and pituitary of the sea bass (*Dicentrarchus labrax*), 11
Morris, J.L., see Farrar, R.P., 319
Müller, S., see Weihe, E., 77
Müller, W., Brunner, H. and Misgeld, U., Lithium discriminates between muscarinic receptor subtypes on guinea pig hippocampal neurons in vitro, 135

Nadler, J.V., see Brai, S., 313
Nagatsu, I., see Tashiro, Y., 29
Nagy, J.I., see Vrontakis, M.E., 59
Nakamura, S., Sakaguchi, T. and Aoki, F., Electrophysiological evidence for terminal sprouting of locus coeruleus neurons following repeated mild stress, 147
Newberry, N.R., see Field, J.J., 254
Nieoullon, A., see Vuillet, J., 99
Nowak Jr., T.S., see Vass, K., 259

O'Connell, M.T., see Hutson, P.H., 276
Oh-hashi, Y., see Takita, M., 249
Okada, D., Yamagishi, S. and Sugiyama, H., Differential effects of phospholipase inhibitors in long-term potentiation in the rat hippocampal mossy fiber synapses and Schaffer/commissural synapses, 141
Okuda, C., see Cole, G., 340
Ormandy, G.C. and Jope, R.S., Sodium nitroprusside and guanosine 3',5'-monophosphate (cyclic GMP) inhibit stimulated phosphoinositide hydrolysis in rat cerebral cortical slices, 287
Owman, C., see Suzuki, N., 123

Pang, S.F., see Lee, P.P.N., 130
Pant, K.K. and Smith, P.A., Atrial natriuretic factor suppresses M-current in frog but not in rat sympathetic neurones, 243
Pearson, J.C., see McDonald, A.J., 53
Pelletier, J., see De Reviers, M.-M., 89
Perry, G., see Galloway, P.G., 6
Peschanski, M., see Bernard, J.F., 83
Pietrzak, E.R., Wilce, P.A. and Shanley, B.C., The effect of chronic ethanol consumption on [^{14}C]deoxyglucose uptake in rat brain in vivo, 181
Pievincenzo, P., Luciana, G., Laura, C. and Guiseppe, A., Behavioral and neurochemical modifications induced by apomorphine treatment, 265

Ramírez, F. and Vanegas, H., Tooth pulp stimulation advances both medullary off-cell pause and tail flick, 153
Ravault, J.-P., see De Reviers, M.-M., 89
Read, H.L., see Minota, S., 237

Reynolds, G.P., see Baker, G.B., 335
Rezazadeh, S.M., see Farrar, R.P., 319
Risold, P.Y., Fellmann, D., Lenys, D. and Bugnon, C., Coexistence of acetylcholinesterase-, human growth hormone-releasing factor (1–37)-, α-melanotropin- and melanin-concentrating hormone-like immunoreactivities in neurons of the rat hypothalamus: a light and electron microscope study, 23
Robinson, M.B., see Stauch, B.L., 295
Rollema, H., see Booth, R.G., 306
Ruijter, J.M., see De Jong, B.M., 1
Rösler, K.M., Hess, C.W., Heckmann, R. and Ludin, H.P., Significance of shape and size of the stimulating coil in magnetic stimulation of the human motor cortex, 347

Sagar, S.M., see Sharp, F.R., 117
Saitoh, T., see Cole, G., 340
Sakaguchi, T., see Nakamura, S., 147
Sarna, G.S., see Hutson, P.H., 276
Sato, A., see Kurosawa, M., 198
Sato, Y., see Kurosawa, M., 198
Satoh, M., see Harada, H., 221
Sattelle, D.B., see Sepulveda, M.-I., 210
Schroedter, I.C., see Vrontakis, M.E., 59
Seguin, J.J., see Türker, K.S., 157
Sepulveda, M.-I. and Sattelle, D.B., Molecular target size of an L-glutamate receptor from the cockroach central nervous system, 210
Sharp, F.R., Gonzalez, M.F., Hisanaga, K., Mobley, W.C. and Sagar, S.M., Induction of the c-*fos* gene product in rat forebrain following cortical lesions and NGF injections, 117
Shaw, P., see Swenson, R.S., 35
Shenone, A., see De Martini, I., 331
Shiu, S.Y.W., see Lee, P.P.N., 130
Sirinathsinghji, D.J.S. and Heavens, R.P., Stimulation of GABA release from the rat neostriatum and globus pallidus in vivo by corticotropin-releasing factor, 203
Smith, P.A., see Pant, K.K., 243
Sobue, G., see Yasuda, T., 47
Sørensen, T., see Jensen, S., 17
Stauch, B.L., Robinson, M.B., Forloni, G., Tsai, G. and Coyle, J.T., The effects of *N*-acetylated alpha-linked acidic dipeptidase (NAALADase) inhibitors on [^{3}H]NAAG catabolism in vivo, 295
Stone, J., see Maslim, J., 40
Stumpf, W.E., see Duncan, G.E., 111
Sugimoto, T., see Tashiro, Y., 29
Sugiyama, H., see Okada, D., 141
Suzuki, N., Hardebo, J.E., Kåhrström, J. and Owman, C., Galanin-positive nerves of trigeminal origin innervate rat cerebral vessels, 123
Swenson, R.S., Shaw, P., Alones, V., Kozlowski, G., Zimmer, J. and Castro, A.J., Neocortical transplants grafted into the newborn rat brain demonstrate a blood–brain barrier to macromolecules, 35

Takahashi, A., see Yasuda, T., 47
Takita, M., Tsuruta, T., Oh-hashi, Y. and Kato, T., In vivo release of cholecystokinin-like immunoreactivity in rat frontal cortex under freely moving conditions, 249
Tapia-Arancibia, L., see Arancibia, S., 169
Tappaz, M., see Henry, S., 301
Tarasiuk, A. and Grossman, Y., Hyperbaric pressure depresses potentiation of polysynaptic medullospinal reflexes in newborn rats, 175
Tashiro, Y., Kaneko, T., Sugimoto, T., Nagatsu, I., Kikuchi, H. and Mizuno, N., Striatal neurons with aromatic L-amino acid decarboxylase-like immunoreactivity in the rat, 29
Terry, R.D., see Cole, G., 340
Theodorsson, E., see Larsson, J., 326
Tillet, Y., see De Reviers, M.-M., 89
Tsai, G., see Stauch, B.L., 295
Tsuruta, T., see Takita, M., 249
Türker, K.S., Seguin, J.J. and Miles, T.S., Modulation of an inhibitory reflex in single motor units in human masseter at different joint angles, 157

Ueda, H., see Harada, H., 221
Ui, M., see Harada, H., 221

Vaccher, C., see Beattie, D.T., 292
Vandesande, F., see Moons, L., 11
Vanegas, H., see Ramírez, F., 153
Vass, K., Berger, M.L., Nowak Jr., T.S., Welch, W.J. and Lassmann, H., Induction of stress protein HSP70 in nerve cells after status epilepticus in the rat, 259
Vrontakis, M.E., Yamamoto, T., Schroedter, I.C., Nagy, J.I. and Friesen, H.G., Estrogen induction of galanin synthesis in the rat anterior pituitary gland demonstrated by in situ hybridization and immunohistochemistry, 59
Vuillet, J., Kerkerian, L., Kachidian, P., Bosler, O. and Nieoullon, A., Ultrastructural correlates of functional relationships between nigral dopaminergic or cortical afferent fibers and neuropeptide Y-containing neurons in the rat striatum, 99

Wada, Y., see Harada, H., 221
Wamsley, J.K., see Filloux, F., 105
Wang, M.Y., see Minota, S., 237
Weihe, E., Müller, S., Fink, T. and Zentel, H.J., Tachykinins, calcitonin gene-related peptide and neuropeptide Y in nerves of the mammalian thymus: interactions with mast cells in autonomic and sensory neuroimmunomodulation?, 77
Welch, W.J., see Vass, K., 259
Whitney, G., see Miller, I.J., 271
Wilce, P.A., see Pietrzak, E.R., 181
Wong, C.-C., see Lee, C.-M., 281
Yamagishi, S., see Okada, D., 141
Yamamoto, T., see Vrontakis, M.E., 59
Yasuda, T., Sobue, G., Mitsuma, T. and Takahashi, A., Low uptake of [^{3}H]2-deoxy-D-glucose by cultured rat Schwann cells, 47
Zaccheo, D., see De Martini, I., 331
Zentel, H.J., see Weihe, E., 77
Zicca, A., see De Martini, I., 331
Zimmer, J., see Jensen, S., 17
Zimmer, J., see Swenson, R.S., 35